

FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 6





FIG. 7




FIG. 8




FIG. 9




FIG. 10

DATA INPUT SCREEN

CUSTOMER INFORMATION

CUSTOMER ID NUMBER:

KANA:

NAME:

GENDER:

BIRTH DATE: YEAR MONTH DATE

ADDRESS:

TEL:

E-MAIL:

FRAME INFORMATION

FRAME MODEL NUMBER:

FRAME SHAPE ANGLE:

FRAME TYPE:

FORMER SPECTACLE

RIGHT	LEFT
00.00	00.00
00.0	00.0
0	0
000	000
00.0	00.0
00.0	00.0

NEW SPECTACLE

RIGHT	LEFT
00.00	00.00
00.0	00.0
0	0
000	000
00.0	00.0
00.0	00.0

ADDITION

ADDITION DIOPTER:

FORMER ADDITION DIOPTER:

FORMER SPECTACLE INSET AMOUNT: mm

NEAR SIGHT REFERENCE VALUE

NEAR-SIGHTED DISTANCE: cm

NEAR-SIGHTED ANGLE: °

DATA READING

EYE TEST MACHINE DATA 73

TRACE DATA 75

O.K

FIG. 11




FIG. 12




FIG. 13




FIG. 14




PHOTOGRAPHING SCREEN			
<p>NEAR SIGHT</p> 			
<p>NEAR-SIGHTED DISTANCE <input style="width: 50px;" type="text"/> cm</p>		<p>NEAR-SIGHTED ANGLE <input style="width: 50px;" type="text"/> °</p>	
<p>SET ~ 78</p>		<p>77</p>	
<p>FAR SIGHT</p>	<p>FRONT FACE</p>	<p>SIDE FACE</p>	<p>NEAR SIGHT</p>
<p>PHOTOGRAPHING</p>		<p>O.K.</p>	
<p>GUIDANCE TURN ON VISION FIXING LIGHT</p>			

FIG. 15

MEASUREMENT SCREEN 1

FAR SIGHT



RIGHT BOTH LEFT
EYE EYES EYE
PD mm

FAR SIGHT

FRONT FACE


NEAR SIGHT

0.K


GUIDANCE PLACE CURSOR AT PUPIL CENTER PORTION OF RIGHT EYE AND CLICK

FIG. 16

(A) MEASUREMENT SCREEN



(B) LIGHT AMOUNT DISTRIBUTION



(C) COMPARISON SCREEN




FIG. 17

SPECTACLE WEARER VIEWED
FROM ABOVE





FIG. 18

(A) MEASUREMENT SCREEN
FAR SIGHT MEASUREMENT SCREEN



(B) COMPARISON SCREEN
FAR SIGHTED SIDE IMAGE




FIG. 19

STORAGE SCREEN									
VISIT DATE		1 Jan		ADDRESS		3-3-3, 00-CHO, SHINJUKU-KU, TOKYO, 160-8888 JAPAN			
CUSTOMER ID NUMBER		000000001		TEL		03-x x x-x x x			
KANA		TARO		E-MAIL		abcdefg@net.ne.jp			
NAME		TARO		GENDER		MALE			
BIRTH DATE		JANUARY 1, 1950							
X		Y		Z					
				Memo					
				STORAGE					

	FRAME 1	FRAME 2
NEAR-SIGHTED DISTANCE	00 mm	00 mm
NEAR-SIGHTED ANGLE	0 °	0 °
PROGRESSIVE ZONE LENGTH	00 mm	00 mm
WEARING DISTANCE / FAR SIGHT	00 mm	00 mm
WEARING DISTANCE / NEAR SIGHT	00 mm	00 mm
RIGHT EYE PD	00 mm	00 mm
LEFT EYE PD	00 mm	00 mm
BOTH EYES PD	00 mm	00 mm
FRAME TYPE	METAL	CELL

FIG. 20




FIG. 21




FIG. 22




FIG. 23

FAR-SIGHTED SIDE FACE IMAGE




FIG. 24

SPECTACLE FRAME VIEWED FROM ABOVE




FIG. 25

(A) CUSTOMER INDIVIDUAL DATA

ID NUMBER	111-111-11111
NAME	TARO HOYA
GENDER	MALE
TELEPHONE	03-x x x-x x x x
E-MAIL	abcdefg@**.ne.jp
ADDRESS	3-3-3, 00-CHO, SHINJUKU-KU, TOKYO
BIRTH DATE	JAN 1, 1950
AGE	54
OCCUPATION	COMPANY EMPLOYEE
KIND OF OCCUPATION	GENERAL AFFAIRS DEPT.
INTEREST	GOLF, DRIVE
ORDER RECEPTION LABORATORY	LABORATORY IN xx TOWN
ORDERING DATE	APRIL 1, 2004
ORDERING SOURCE	SPECTACLE SHOP IN xx TOWN
ADDRESS OF ORDERING SOURCE	1-1-1, 00-CHO, SHINJUKU-KU, TOKYO
TELEPHONE NUMBER OF ORDERING SOURCE	03-x x x-x x x x

(B) FIRST REGISTERED PRESCRIPTION

CLASSIFICATION	PRESBYOPIA, MYOPIA, ASTIGMATISM
CHIEF COMPLAINT	DIOPTER BECOMES NOT MATCHED
PURPOSE OF USE	FOR DAILY LIFE
ORDER FREQUENCY	FIRST TIME

LENS PRODUCT NAME	LENS MATERIAL NAME	LENS REFRACTIVE POWER	COATING
ABC	HN-5	1.600	MULTI-LAYERED COAT

	Y						V						
	SPH	CYL	AXS	ADD	PX	PY	FPD	NPD	FVD	NVD	RA	ST	ODS
R	-1.00	-0.50	180	2.00	0.00	0.00	32	29.5	12	14	30	12	350
L	-1.25	-0.75	5	2.00	0.00	0.00	31	28.5	12	14	30	12	350
Z {	FRAME MODEL NUMBER		123T458				FRAME NAME		FIELD MASTER				